Contents of Volume 49

Vol. 49, No. 1 May (I) 2002

LINEs and *gypsy*-like retrotransposons in *Hordeum* species
A.V. Vershinin, A. Druka, A.G. Alkhimova, A. Kleinhofs, J.S. Heslop-Harrison **1–14**

Gene expression studies on developing kernels of maize sucrose synthase (SuSy) mutants show evidence for a third SuSy gene
S.J. Carlson, P.S. Chourey, T. Helentjaris, R. Datta **15–29**

Identification of SnIP1, a novel protein that interacts with SNF1-related protein kinase (SnRK1)
S.P. Slocombe, S. Laurie, L. Bertini, F. Beaudoin, J.R. Dickinson, N.G. Halford **31–44**

Matrix attachment regions (MARs) enhance transformation frequencies and reduce variance of transgene expression in barley
K. Petersen, R. Leah, S. Knudsen, V. Cameron-Mills **45–58**

Nuclear identity specifies transcriptional initiation in plant mitochondria
J. Edqvist, P. Bergman **59–68**

Cloning by pathway activation in yeast: identification of an *Arabidopsis thaliana* F-box protein that can turn on glucose repression
M. Thelander, D. Fredriksson, J. Schouten, J.H.C. Hoge, H. Ronne **69–79**

Symbiotic and non-symbiotic expression of *cgMT1*, a metallothionein-like gene from the actinorhizal tree *Casuarina glauca*
L. Laplaze, H. Gherbi, E. Duhoux, K. Pawlowski, F. Auguy, F. Guermache, C. Franche, D. Bogusz **81–92**

***Harlequin* (*hlq*) and *short blue root* (*sbr*), two *Arabidopsis* mutants that ectopically express an abscisic acid- and auxin-inducible transgenic carrot promoter and have pleiotropic effects on morphogenesis**
S. Subramanian, B. Rajagopal, C.D. Rock **93–105**

The Slr0924 protein of *Synechocystis* sp. strain PCC 6803 resembles a subunit of the chloroplast protein import complex and is mainly localized in the thylakoid lumen
S. Fulda, B. Norling, A. Schoor, M. Hagemann **107–118**

Vol. 49, No. 2 May (II) 2002

A thaumatin-like gene in nonclimacteric pepper fruits used as molecular marker in probing disease resistance, ripening, and sugar accumulation
Y.S. Kim, J.Y. Park, K.S. Kim, M.K. Ko, S.J. Cheong, B.-J. Oh **125–135**

Do 14-3-3 proteins and plasma membrane H^+-ATPases interact in the barley epidermis in response to the barley powdery mildew fungus?
C. Finnie, C.H. Andersen, J. Borch, S. Gjetting, A.B. Christensen, A.H. de Boer, H. Thordal-Christensen, D.B. Collinge **137–147**

Small Cab-like proteins regulating tetrapyrrole biosynthesis in the cyanobacterium *Synechocystis* sp. PCC 6803
H. Xu, D. Vavilin, C. Funk, W. Vermaas **148–159**

Identification of a tRNA isopentenyltransferase gene from *Arabidopsis thaliana*
A. Golovko, F. Sitbon, E. Tillberg, B. Nicander **161–169**

Characterization of a tissue-specific and developmentally regulated β-1,3-glucanase gene in pea (*Pisum sativum*)
P. Buchner, C. Rochat, S. WuillŁme, J.-P. Boutin **171–186**

Pollination modulates expression of the PPAL gene, a pistil-specific β-expansin
M. Pezzotti, R. Feron, C. Mariani **187–197**

The western red cedar (Thuja plicata) 8-8′ DIRIGENT family displays diverse expression patterns and conserved monolignol coupling specificity
M.K. Kim, J.-H. Jeon, M. Fujita, L.B. Davin, N.G. Lewis **199–214**

Comparative analysis of the plant mRNA-destabilizing element, DST, in mammalian and tobacco cells
M. Feldbrgge, P. Arizti, M.L. Sullivan, P.D. Zamore, J.G. Belasco, P.J. Green **215–223**

Spatial and temporal expression of the orchid floral homeotic gene *DOMADSI* is mediated by its upstream regulatory regions
H. Yu, S.H. Yang, C.J. Goh **225–237**

A maize *r1* gene is regulated post-transcriptionally by differential splicing of its leader
A. Procissi, P. Piazza, C. Tonelli **239–248**

Vol. 49, Nos. 3–4 June/July 2002

Biosynthesis, conjugation, catabolism and homeostasis of indole-3-acetic acid in *Arabidopsis thaliana*
K. Ljung, A.K. Hull, M. Kowalczyk, A. Marchant, J. Celenza, J.D. Cohen, G. Sandberg **249–272**

Polar auxin transport – old questions and new concepts?
J. Friml, K. Palme **273–284**

Protein phosphorylation in the delivery of and response to auxin signals
A. DeLong, K. Mockaitis, S. Christensen **285–303**

Complex physiological and molecular processes underlying root gravitropism
R. Chen, C. Guan, K. Boonsirichai, P.H. Masson **305–317**

Evolutionary patterns in auxin action
T.J. Cooke, D.B. Poli, A.E. Sztein, J.D. Cohen **319–338**

A short history of auxin-binding proteins
R.M. Napier, K.M. David, C. Perrot-Rechenmann **339–348**

Channelling auxin action: modulation of ion transport by indole-3-acetic acid
D. Becker, R. Hedrich **349–356**

Secondary messengers and phospholipase A_2 in auxin signal transduction
G.F.E. Scherer **357–372**

Auxin-responsive gene expression: genes, promoters and regulatory factors
G. Hagen, T. Guilfoyle **373–385**

Genetics of Aux/IAA and ARF action in plant growth and development
E. Liscum, J.W. Reed 387–400

The role of regulated protein degradation in auxin response
S. Dharmasiri, M. Estelle 401–409

Auxin cross-talk: integration of signalling pathways to control plant development
R. Swarup, G. Parry, N. Graham, T. Allen, M. Bennett 411–426

Vol. 49, No. 5 July (II) 2002

Reactive oxygen intermediates and glutathione regulate the expression of cytosolic ascorbate peroxidase during iron-mediated oxidative stress in bean
I. Pekker, E. Tel-Or, R. Mittler 429–438

Specificity of auxin regulation of gibberellin 20-oxidase gene expression in pea pericarp
P. Ngo, J.A. Ozga, D.M. Reinecke 439–448

Regulation of carbonic anhydrase gene expression in cotyledons of cotton (*Gossypium hirsutum* L.) seedlings during post-germinative growth
C.V. Hoang, K.D. Chapman 449–458

Regulation and characterization of four *CBF* transcription factors from *Brassica napus*
M.-J. Gao, G. Allard, L. Byass, A.M. Flanagan, J. Singh 459–471

Wouding activates immediate early transcription of genes for ERFs in tobacco plants
T. Nishiuchi, K. Suzuki, S. Kitajima, F. Sato, H. Shinshi 473–482

Regulation of the high-affinity ammonium transporter (*BnAMT1;2*) in the leaves of *Brassica napus* by nitrogen status
J.N. Pearson, J. Finnemann, J.K. Schjoerring 483–490

Potato hexokinase 2 complements transgenic *Arabidopsis* plants deficient in hexokinase 1 but does not play a key role in tuber carbohydrate metabolism
J. Veramendi, A.R. Fernie, A. Leisse, L. Willmitzer, R.N. Trethewey 491–501

KAP-2, a protein that binds to the H-box in a bean chalcone synthase promoter, is a novel plant transcription factor with sequence identity to the large subunit of human Ku autoantigen
W.P. Lindsay, F.M. McAlister, Q. Zhu, X.-Z. He, W. Drge-Laser, S. Hedrick, P. Doerner, C. Lamb, R.A. Dixon 503–514

Probing the diversity of the Arabidopsis glutathione *S*-transferase gene family
U. Wagner, R. Edwards, D.P. Dixon, F. Mauch 515–532

Regulation of CDPKs, including identification of PAL kinase, in biotically stressed cells of French bean
E.G. Allwood, D.R. Davies, C. Gerrish, G.P. Bolwell 533–544

Cloning of the promoter for a novel barley gene, *Lem1*, and its organ-specific promotion of *Gfp* expression in lemma and palea
R.W. Skadsen, P. Sathish, M.L. Federico, T. Abebe, J. Fu, H.F. Kaeppler 545–555

Erratum

Nuclear identity specifies transcriptional initiation in plant mitochondria
J. Edqvist, P. Bergman 557–558

Vol. 49, No. 6 August 2002

An *Arabidopsis* callose synthase
L. stergaard, M. Petersen, O. Mattsson, J. Mundy **559–566**

Apple has two orthologues of *FLORICAULA/LEAFY* involved in flowering
M. Wada, Q.-f. Cao, N. Kotoda, J.-i. Soejima, T. Masuda **567–577**

Characterization of *cis*-regulatory regions responsible for developmental regulation of the gibberellin biosynthetic gene *GA1* in *Arabidopsis thaliana*
C.-w. Chang, T.-p. Sun **579–589**

Ntlim1, a PAL-box binding factor, controls promoter activity of the horseradish wound-inducible peroxidase gene
P. Kaothien, A. Kawaoka, H. Ebinuma, K. Yoshida, A. Shinmyo **591–599**

Characterization of five novel dehydration-responsive homeodomain leucine zipper genes from the resurrection plant *Craterostigma plantagineum*
X. Deng, J. Phillips, A.H. Meijer, F. Salamini, D. Bartels **601–610**

A novel pollen-specific α-tubulin in sunflower: structure and characterization
J.-L. Evrard, I. Nguyen, M. Bergdoll, J. Mutterer, A. Steinmetz, A.-M. Lambert **611–620**

The DNA-compacting protein DCP68 from soybean chloroplasts is ferredoxin:sulfite reductase and co-localizes with the organellar nucleoid
C.L. Chi-Ham, M.A. Keaton, G.C. Cannon, S. Heinhorst **621–631**

***AtHVA22* gene family in *Arabidopsis*: phylogenetic relationship, ABA and stress regulation, and tissue-specific expression**
C.-N. Chen, C.-C. Chu, R. Zentella, S.-M. Pan, T.-H.D. Ho **633–644**

Cell cycle-dependent and lysine residue-specific dynamic changes of histone H4 acetylation in barley
T. Wako, M. Fukuda, R. Furushima-Shimogawara, N.D. Belyaev, K. Fukui **645–653**

The upstream SaI repeat-containing segment of *Arabidopsis thaliana* ribosomal DNA intergenic region (IGR) enhances the activity of adjacent protein-coding genes
P. Schlgelhofer, V. Nizhynska, N. Feik, C. Chambon, T. Potuschak, E.-M. Wanzenbck, D. Schweizer, A. Bachmair **655–667**

5′ deletion of a *gbss1* promoter region from wheat leads to changes in tissue and developmental specificities
A. Kluth, S. Sprunck, D. Becker, H. Lrz, S. Ltticke **669–682**

Inducibility by pathogen attack and developmental regulation of the rice *Ltp1* gene
E. Guiderdoni, M.J. Cordero, F. Vignols, J.M. Garcia-Garrido, M. Lescot, D. Tharreau, D. Meynard, N. FerriLre, J.-L. Notteghem, M. Delseny **683–699**

Instructions for authors **701–704**

Volume contents **705–708**

Author index **709–710**